

Valid from 10 April 2022 to 09 April 2025 Issued on 10 April 2022



## Schedule of Accreditation

Sri Lanka Accreditation Board for Conformity Assessment

Accreditation Number: TL 031-01

Intertek Lanka (Pvt) Ltd
"Intertek House"
No. 282, Kaduwela Road, Battaramulla.

**Scope of Accreditation:** Performing Chemical Testing on Food & Agricultural Products, Water & Waste Water and Fertilizer.

The laboratory is accredited for the tests indicated in following pages.

SI	Product(s) / Material of test	Specific tests performed	Test Method / Standard against which tests are performed	Range of testing/ Limits of detection	
	Food & Agricultural Products				
1.1		Loss in mass at 103°C Percent by mass	ISO 1573:1980 & ISO 1572:1980 SLS 28/2:2008 & SLS 28/1:2008	1.0 – 10.0%	
1.2	-	Total ash, percent by mass	ISO 1575:1987 & SLS 28/3:2008	1.0 – 10.0%	
1.3		Water soluble ash of total ash, percent by mass	ISO 1576:1988 SLS 28/4:2008	45 (minimum)%	
1.4	Black Tea Green Tea	Alkalinity of water soluble ash (as KOH), percent by mass	ISO 1578:1975 SLS 28/6:2008	1.0 – 3.0%	
1.5		Acid insoluble ash, percent by mass	ISO 1577 (1987) SLS 28/5:2008	2.0 (Maximum)%	
1.6		Water extract, percent by mass	ISO 9768:1994+Cor 1:1998 SLS 28/7:2008	20.0 (Minimum)%	
1.7		Crude fibre, percent by mass	ISO 15598:1999 SLS 28/8:2008	25.0 (Maximum)%`	
1.8	Fish	Histamine	In house method – CHE/SOP/001: Rev 01 (Modified HPLC Method)	1-200mg/kg	

SI	Product(s) / Material of test	Specific tests performed	Test Method / Standard against which tests are performed	Range of testing/ Limits of detection
	Fertilizer	izer		
2.1	Ammonium Sulphate, Urea, Monoammonium Phosphate, Rockphosphate, Triple Superphosphate, Single Superphosphate, MOP, Dolomite ,Magnesium Sulphate Monohydrate (Fertilizer grades), Mixed Fertilizer	Moisture, percent by mass	SLS 645: Part 2: Method 1: 1984	0.5 - 5.0
2.2	Mixed Fertilizer, Urea	Total Nitrogen, as N, percent by mass	SLS 645: Part 1:2009	2 – 50 %
2.3	Ammonium Sulphate, Ammonium Chloride, Monoammonium Phosphate, Diammonium Phosphate, Mixed Fertilizer	Ammocal Nitrogen, as N, percent by mass	SLS 645: Part 1: Section B: 2009	1-30%
2.4	Mixed Fertilizer, Monoammonium Phosphate, Diammonium Phosphate, Rockphosphate, TripleSuperphosphate, Single Superphosphate	Total phosphate as P <sub>2</sub> O <sub>5</sub> , percent by mass	SLS 645: Part 5: 1985	2.0 % (minimum) (2-50) % Working Range
2.5	Monoammonium Phosphate, Diammonium Phosphate, Rockphosphate, Triple Superphosphate, Single Superphosphate	Water soluble phosphate, as P₂O₅ percent by mass	SLS 645: Part 5: 1985	2.0 % (minimum) 2-50) % Working Range
2.6	Mixed Fertilizer, Dolomite, Magnesium Sulphate Monohydrate, Epsom Salt	Calcium, as CaO, percent by mass	SLS 645: Part 6 :1990	1.0 % (minimum) 2-50) % Working Range
2.7	Mixed Fertilizer, Dolomite, Magnesium Sulphate Monohydrate, Epsom Salt	Magnesium, as MgO, percent by mass	SLS 645: Part 6 :1990	1 – 30%
2.8		Arsenic, As	In-House Method (AOAC 2006.03:2009 Modified Method using ICPMS)	0.01 – 10.0mg/L
2.9		Cadmium, Cd		
2.10	Fertilizer	Chromium, Cr		
2.11		Lead, Pb		

SI	Product(s) / Material of test	pecific tests performe	Test Method / Standard against which tests are performed	Range of testing/ Limits of detection	
	Water				
3.1		pH	APHA 23 <sup>rd</sup> 4500-H <sup>+</sup> B	1.0 – 14.0 pH	
3.2		Aluminum (as Al)	APHA 23 <sup>rd</sup> 3113 B	0.005 – 0.1 ppm	
3.3		Chloride, as Cl	APHA 23 <sup>rd</sup> 4500-Cl <sup>-</sup> B	5- 500 mg/L	
3.4		Calcium (as Ca)	APHA 23 <sup>rd</sup> 3500-Ca B	5 – 200 mg/L	
3.5		Hardness, as CaCO3	APHA 23 <sup>rd</sup> 2340 C	5 - 500 mg/L	
3.6		Chemical Oxygen Demand (COD)	APHA 23 <sup>rd</sup> 5220 B	5 – 50 mg/L	
3.7		Copper	APHA 23 <sup>rd</sup> 3125 (ICP MS)	0.005 – 0.1 mg/L	
3.8		Fluoride, as F	APHA 23 <sup>rd</sup> 4500-F <sup>-</sup> C	0.10 -5.00 mg/L	
3.9		Magnesium	APHA 23 <sup>rd</sup> 3500-Mg B	5-200 mg/L	
3.10		Manganese	APHA 23 <sup>rd</sup> 3125 (ICP MS)	0.005 – 0.1 mg/L	
3.11		Nickel	APHA 23 <sup>rd</sup> 3125 (ICP MS)	0.005 – 0.1 mg/L	
3.12	Drinking Water, Processing	Sulphate	APHA 23 <sup>rd</sup> 4500-SO <sub>4</sub> <sup>2-</sup> E	10 – 600 mg/L	
3.13	Water, Potable Water, Raw Water	Total phosphate	APHA 23 <sup>rd</sup> 4500-P C	1-5 mg/L	
3.14		Zinc	APHA 23 <sup>rd</sup> 3125 (ICP MS)	0.005 – 0.1 mg/L	
3.15		Arsenic			
3.16		Cadmium			
3.17		Chromium			
3.18		Lead			
3.19		Selenium			
3.20		Alkalinity, as CaCO3	APHA23 <sup>rd</sup> 2320 B	5–500 mg/L	
3.21		Total solids/ Dry Residues	APHA 23 <sup>rd</sup> 2540 B	10 – 2000 mg/L	
3.22		Total Suspended Solids	APHA 23 <sup>rd</sup> 2540 D	5– 500 mg/L	
3.23		Total Dissolved Solids	APHA 23 <sup>rd</sup> 2540 C	10 – 2000 mg/L	
3.24		Iron, as Fe	APHA 23 <sup>rd</sup> 3500-Fe B	0.1 – 10.0 mg/L	

SI	Product(s) / Material of test	specific tests performed	Test Method / Standard against which tests are performed	Range of testing/ Limits of detection
4.1		рН	APHA 23 <sup>rd</sup> 4500-H <sup>+</sup> B	1.0-14.0 pH
4.2		COD	APHA 23 <sup>rd</sup> 5220 B	5-1500 mg/L
4.3		BOD	APHA 23 <sup>rd</sup> 5210 B	5-500 mg/L
4.4	4	TSS	APHA 23 <sup>rd</sup> 2540 D	5-500 mg/L
4.5		Alkylphenol ethoxylates / Alkylphenols (APEOs/APs)	(In-house SOP for Determination of ZDHC Parameters in Wastewater	1 ppb- 1000 ppb
4.6	-	Azo dyes (Forming restricted amines)	C036.TP	0.1 ppb- 1000 ppb
4.7	Wastewater	Phthalates (Ortho-phthalates)	(In-house SOP for Determination of ZDHC Parameters in Wastewater C036.TP	1 ppb- 1000 ppb
		Lead (Pb)	US EPA 200.8:1994	0.001 -0.1 ppm
		Cadmium (Cd)		0.001 -0.1 ppm
		Mercury (Hg)		0.00005 -0.1 ppm
		Antimony (Sb)		0.001 -0.1 ppm
		Arsenic (As)		0.001 -0.1 ppm
		Chromium (Cr) (total) Chromium (VI) (Cr) VI		0.001 -0.1 ppm
		Cobalt (Co)		0.001 -0.1 ppm
		Copper (Cu)		0.001 -0.1 ppm
		Nickel (Ni)		0.001 -0.1 ppm
		Zinc (Zn)		0.001 -0.1 ppm
		Silver (Ag)		0.001 -0.1 ppm

Director/CEO Sri Lanka Accreditation Board for Conformity Assessment