

As an accredited Proficiency Testing Provider,
this Proficiency Testing Provider is entitled to
use the following accreditation symbol.



Valid from 10 March 2021
to 09 March 2024
Issued on 10 March 2021



ISO/ IEC 17043
PT 002-01

Schedule of Accreditation

Accreditation Scheme for Proficiency Testing Provider
Sri Lanka Accreditation Board for Conformity Assessment

Accreditation Number: PT 002- 01

Association of Testing Laboratories-Proficiency Testing (ATL-PT)

Association of Testing Laboratories
No 59,2nd Floor, Welikada Plaza,
Rajagiriya

Scope of Accreditation: Provision of proficiency testing for chemical analysis of black & green tea

The Proficiency Testing Provider is accredited for the following Proficiency Testing Schemes as per given in the page 02 of 02.

SI NO	Field of PT Scheme	Specific PT area/ Products or materials	Determinant	Reference Methods/ Procedures	Limitation/ Range	Frequency	Site/ Location
1	Chemical Analysis of Black & Green Tea	Black Tea as per ISO 3720:2011 and Green Tea as per ISO 11287:2011	Loss in mass	SLS 28 P2:2008 ISO 1573:1980	3- 8 %	Annual	SLATL Office
2			Total Ash	SLS 28 P3:2008 ISO 1575:1987	2-8 %	Annual	SLATL Office
3			Water soluble ash as percentage of total ash	SLS 28 P4:2008 ISO 1576:1988	42-48 %	Annual	SLATL Office
4			Alkalinity of Water soluble ash	SLS 28 P6:2008 ISO 1578:1975	1-3%	Annual	SLATL Office
5			Acid Insoluble Ash	SLS 28 P5:2008 ISO 1577:1983	0.01-1.5%	Annual	SLATL Office
6			Water Extract	SLS 28 P7:2008 ISO 9768:1994	32 -40%	Annual	SLATL Office
7			Crude Fibre	SLS 28 P8:2008 ISO 15598:1999	11.0-17.0%	Annual	SLATL Office
8			Caffeine	ISO 10727:2002	1.2-6.0%	Annual	SLATL Office

Director/CEO
Sri Lanka Accreditation Board for Conformity Assessment
Colombo, Sri Lanka